


Bellissimo
 STILE ITALIANO

PANARIAgroup

2025

Luxury

Luxury

We have reproduced the timeless charm of marble to create living environments with an elegant and exclusive atmosphere.



12 Uhlen Grey 60x120 cm Satin

Tundra Grey 60x120 cm Satin







Luxury

Crosseut White




60x60 cm Vitrified - Polished rect.
± 8,25 mm



60x60 cm Vitrified - Satin rect.
± 8,25 mm

Crosseut Light Silver




60x60 cm Vitrified - Polished rect.
± 8,25 mm




60x60 cm Vitrified - Satin rect.
± 8,25 mm

Crosseut Silver



60x60 cm Vitrified - Polished rect.
± 8,25 mm



60x60 cm Vitrified - Satin rect.
± 8,25 mm



60x120 cm Vitrified - Polished rect.
± 9,5 mm



60x120 cm Vitrified - Satin rect.
± 9,5 mm




60x120 cm Vitrified - Polished rect.
± 9,5 mm



60x120 cm Vitrified - Satin rect.
± 9,5 mm



60x120 cm Vitrified - Polished rect.
± 9,5 mm



60x120 cm Vitrified - Satin rect.
± 9,5 mm

SHADE
VARIATION



V3

WATER
ABSORPTION



≤ 0,5 %

BREAKING
STRENGTH (S)
ISO 10545-4



≥ 1300 N

CHEMICAL
RESISTANCE
ISO 10545-13



GLA
GHA
(Resistant)

FROST
RESISTANCE
ISO 10545-12



Resistant

STAIN
RESISTANCE
ISO 10545-14



Class 5
(Resistant)

Luxury

Lasa



60x60 cm Vitrified - Polished rect.
± 8,25 mm



60x60 cm Vitrified - Satin rect.
± 8,25 mm



60x120 cm Vitrified - Polished rect.
± 9,5 mm



60x120 cm Vitrified - Satin rect.
± 9,5 mm

Tundra Grey



60x60 cm Vitrified - Polished rect.
± 8,25 mm



60x60 cm Vitrified - Satin rect.
± 8,25 mm



60x120 cm Vitrified - Polished rect.
± 9,5 mm



60x120 cm Vitrified - Satin rect.
± 9,5 mm

Tundra White




60x60 cm Vitrified - Polished rect.
± 8,25 mm



60x60 cm Vitrified - Satin rect.
± 8,25 mm



60x120 cm Vitrified - Polished rect.
± 9,5 mm



60x120 cm Vitrified - Satin rect.
± 9,5 mm

SHADE
VARIATION



V3

WATER
ABSORPTION



≤ 0,5 %

BREAKING
STRENGTH (S)
ISO 10545-4



≥ 1300 N

CHEMICAL
RESISTANCE
ISO 10545-13



GLA
GHA
(Resistant)

FROST
RESISTANCE
ISO 10545-12



Resistant

STAIN
RESISTANCE
ISO 10545-14



Class 5
(Resistant)