

Slimtech.



laminated porcelain stoneware



LEA
CERAMICHE

Index.

02 _ 05	01. The Company.	
06 _ 09	02. Slimtech.	
10 _ 11	Summary	
12 _ 13	Applications & Solutions	
14 _ 15	Projects	
16 _ 23	03. Color Range.	
24 - 129	04. The Collections.	
	Marble	
26 _ 37	Delight	
38 _ 59	Timeless Marble and Filigrane	design Philippe Nigro
	Stone	
60 _ 63	Waterfall	
64 _ 69	Basaltina Stone Project	
	Contemporary	
70 _ 77	Concreto	design Fabio Novembre
78 _ 89	Take Care and Pad	design Patrick Norguet
90 _ 93	Absolute	
94 _ 97	Re-evolution	
98 _ 103	Gouache.10 and Libeccio	design Diego Grandi
	Wood	
104 _ 107	Wood-stock	
108 _ 111	Type 32	design Diego Grandi
	Shapes & colors	
112 _ 115	Naive	design Patrick Norguet
116 _ 121	Lines and Waves	design Patrick Norguet
122 _ 125	Nest	design HOK Product Design
126 _ 129	Mauk	design Diego Grandi
130 _ 131	Lealab	
132 _ 133	Protect	
134 _ 143	05. Technical Info.	
144 - 145	Our Group	

When Creativity meets Performance.



visionary design

Lea Ceramiche è la perfetta sintesi di design visionario e performance tecnologica, partner della creatività ovunque nel mondo per ogni tipo di progetto architettonico che ricerchi distinzione attraverso uno stile unico e riconoscibile.

Lea Ceramiche is the perfect combination of visionary design and technological performance, a creative partner anywhere in the world for any type of architectural project requiring distinction through unique, recognizable style.

innovation for top architecture

L'innovazione nel design, l'assoluta affidabilità delle prestazioni tecniche e la capacità di osare e guardare sempre avanti hanno reso Lea Ceramiche una protagonista indiscussa dell'architettura internazionale.

Innovative design, absolute reliability of technical performance, and the capacity to dare and focus on the future have made Lea Ceramiche an undisputed key player in international architecture.

inspiring designers

Essere visionari significa collaborare con i protagonisti del design internazionale per coglierne le esigenze, interpretarle al meglio e restituire nuova ispirazione.

Being visionary means working with leading figures in international design to understand their needs, interpret them in the best possible manner, and provide them with new inspiration.

industrial expertise for technical perfection

Dal concept di design allo sviluppo produttivo delle collezioni, la ricerca della perfezione in Lea Ceramiche si esprime nel segno della massima competenza tecnica.

From design concept to production development, the search for perfection by Lea Ceramiche is reflected in the company's high level of technical competence.

LASTRE CERAMICHE SOTTILI DI QUALITÀ SUPERIORE.

Gres porcellanato laminato in grande formato: un materiale leggero, versatile e resistente per nuove prospettive progettuali nel mondo dell'architettura e dell'abitare.

/ SUPERIOR QUALITY THIN CERAMIC SLABS.

Large-sized laminated porcelain stoneware: a light, resistant and versatile product for new design perspectives in the world of architecture and housing.

1. Massimi standard qualitativi e prestazionali. Grazie all'utilizzo di materie prime pregiate

/ Highest standards in quality and performance. Thanks to the use of the best raw materials

2. Lastre supercompatte ed elastiche. Grazie a un processo di pressatura unico

/ Highly compact and elastic slabs. Thanks to a unique pressing process

3. Eccellente resa estetica dei materiali. Grazie a tecniche esclusive di lavorazione delle superfici

/ Excellent aesthetic look of the products. Thanks to exclusive surface treatment technologies

4. Straordinaria extra-resistenza. Grazie al rinforzo in fibra di vetro

/ Extraordinary added resistance. Thanks to the reinforcing fibreglass mesh


5. Alta sostenibilità ambientale. Meno materie prime utilizzate, minor consumo di acqua ed energia, minori emissioni di CO₂

/ Highly Eco-friendly. Less raw materials used, lower water and energy consumption and lower CO₂ emissions



Summary.


12 Formati Sizes




3 Spessori Thickness

	6mm	 SLIMTECH	Sottile e resistente.	Thin and resistant.
	5.5mm	 SLIMTECH	Ultrasottile e ultraresistente. Con fibra di vetro.	Ultra-thin and ultra-resistant. With fibreglass mesh.
	3.5mm	 SLIMTECH	Ultrasottile e ultraresistente. Con fibra di vetro.	Ultra-thin and ultra-resistant. With fibreglass mesh.
			Rinforzo con fibra di vetro.	Reinforced with fibreglass mesh.


61 Colori Colors




6 Superfici Surfaces




Applications & Solutions.




interni residenziali
(pavimenti e rivestimenti)/
interiors residential
(flooring and wall cladding)




porte, scale e
pianerottoli/
doors and stairs
and landings




superfici per piani e
arredo cucine, top per
tavoli, librerie e armadi/
surfaces for kitchen
countertops and
furniture, for table tops,
bookshelves and
wardrobes




box e piatti doccia,
lavabi e mobili bagno/
shower cabins and
trays, wash
basins and bathroom
furniture




rivestimenti esterni e
facciate ventilate/
external cladding
and ventilated
facades




rivestimenti termici
a cappotto/
external wall thermal
insulation system




gallerie e grandi
opere pubbliche/
tunnels and large
public projects



rivestimenti interni
spa e piscine/
cladding of interiors
in spas and pools



posa in
sovrapposizione a
materiale esistente/
laid over pre-existing
material



rivestimenti per
settore nautico/
cladding in the
nautical industry

Slimtech è estremamente personalizzabile grazie alla sua facilità di taglio e lavorazione: rivestimenti, applicazioni su oggetti e complementi d'arredo, anche quelle a cui non avevi pensato, diventano possibili. Grazie alla varietà di spessori, formati e alle sue prestazioni tecniche, è inoltre la scelta perfetta sia per nuove costruzioni che per ristrutturazioni con posa in sovrapposizione a pavimenti preesistenti.

Slimtech is highly customisable, thanks to the ease with which it can be cut and handled: wall-cladding, application on objects and home furnishings, even ones that you never would have considered, become possible. Thanks to the variety of thicknesses, formats, and technical features, it is also the perfect choice for both new constructions and for renovations in which it can be laid over pre-existing floors.



Projects.

L'innovazione nel design, l'assoluta affidabilità delle prestazioni tecniche e la capacità di osare e guardare sempre avanti hanno reso Lea Ceramiche una protagonista indiscussa dell'architettura internazionale. Come testimoniato dalla prestigiose referenze realizzate in tutto il mondo.

Innovative design, absolute reliability of technical performance, and the capacity to dare and focus on the future have made Lea Ceramiche an undisputed key player in international architecture. As proved by the important projects supplied by the brand around the world.



Bosco Verticale
Milan - Italy



Okko Hotel
Paris - France



International Culinary School
Washington DC - USA



Fondazione Prada
Milan - Italy



Newstead Central
Brisbane - Australia



Lamborghini Logistic Center
Bologna - Italy

Marble




Stone




Pag. 93 Absolute Total White	Pag. 97 Re-Evolution SRC010	Pag. 73 Concreto Concreto Light	Pag. 101 Gouache.10 Crystal Water	Pag. 81 Take Care T_Steel
Pag. 83 Take Care C_Steel	Pag. 73 Concreto Concreto Medium	Pag. 101 Gouache.10 Cool Rain	Pag. 97 Re-Evolution SRC020	Pag. 97 Re-Evolution SRC030
Pag. 73 Concreto Concreto Dark	Pag. 101 Gouache.10 Deep Sea	Pag. 81 Take Care T_Night	Pag. 83 Take Care C_Night	Pag. 93 Absolute Total Black

Pag. 81 Take Care T_Snow	Pag. 83 Take Care C_Snow	Pag. 101 Gouache.10 White Cloud	Pag.73 Concreto Concreto Extra Light	Pag. 97 Re-Evolution SRW010
Pag. 101 Gouache.10 Soft Sand	Pag. 81 Take Care T_Moon	Pag. 83 Take Care C_Moon	Pag. 97 Re-Evolution SRW020	Pag. 97 Re-Evolution SRW030
Pag. 101 Gouache.10 Light Rock	Pag. 81 Take Care T_Ground	Pag. 83 Take Care C_Ground	Pag. 73 Concreto Concreto Rust	Pag. 101 Gouache.10 Black Stone

Wood



Shapes & Colors



Delight.

WALL
Invisible Light 120x260 touch

FLOOR
Invisible Light 120x260 touch






WALL
Marquina Nero 120x260 lev

FLOOR
Marquina Nero 120x120 lev

Lea Ceramiche

Marquina Nero



Facce disponibili / Available faces

Delight.

Formati / Sizes ^{LT}



60x120cm
24"x48"



120x120cm
48"x48"



120x260cm
48"x102"

Finiture / Finishes

Nat



residenziale
residential



commerciale leggero
light commercial



commerciale intensivo
intensive commercial

Lev



residenziale
residential



commerciale leggero
light commercial

Touch



residenziale
residential



commerciale leggero
light commercial

Materiale/material:
Gres porcellanato laminato
Laminated porcelain stoneware
Spessore/thickness: 6mm

PROTECT
SUPERFICIE ANTIBATTERICA
ANTIMICROBIAL SURFACE
with MICROBIO

SLIMTECH


Venato Bianco



Facce disponibili / Available faces

Delight.

Formati / Sizes



Finiture / Finishes

Nat

residenziale
residential

commerciale leggero
light commercial

commerciale intensivo
intensive commercial

Lev

residenziale
residential

commerciale leggero
light commercial

Touch

residenziale
residential

commerciale leggero
light commercial

Materiale/material:
Gres porcellanato laminato
Laminated porcelain stoneware
Spessore/thickness: 6mm


Calacatta Oro



Facce disponibili / Available faces

Delight.

Formati / Sizes



Finiture / Finishes

Nat

residenziale
residential

commerciale leggero
light commercial

commerciale intensivo
intensive commercial

Lev

residenziale
residential

commerciale leggero
light commercial

Touch

residenziale
residential

commerciale leggero
light commercial


Materiale/material:
Gres porcellanato laminato
Laminated porcelain stoneware
Spessore/thickness: 6mm



WALL
Invisible Light 120x260 touch

FLOOR
Invisible Light 120x260 touch

Invisible Light



Facce disponibili / Available faces



Delight.

Formati / Sizes ^{LT}

		
60x120cm 24"x48"	120x120cm 48"x48"	120x260cm 48"x102"

Finiture / Finishes

Nat	 residenziale residential	 commerciale leggero light commercial	 commerciale intensivo intensive commercial
Lev	 residenziale residential	 commerciale leggero light commercial	
Touch	 residenziale residential	 commerciale leggero light commercial	

Materiale/material:
Gres porcellanato laminato
Laminated porcelain stoneware
Spessore/thickness: 6mm

PR()TECT
SUPERFICIE ANTIBATTERICA
ANTIMICROBIAL SURFACE
with MICROBIO®

SLIMTECH



WALL
Butterfly Venato Bianco 120x260 lev


FLOOR
Venato Bianco 120x260 lev

Lea Ceramiche

Decoro / Decor

Butterfly

Calacatta Oro Lev A Calacatta Oro Lev B




Venato Bianco Lev A Venato Bianco Lev B



Delight.

Formati / Sizes ^{L^{RT}}



120x260cm
48"x102"

Finiture / Finishes

Lev



residenziale
residential



commerciale leggero
light commercial

Materiale/material:
Gres porcellanato laminato
Laminated porcelain stoneware
Spessore/thickness: 6mm

PR()TECT
SUPERFICIE ANTIBATTERICA
ANTIMICROBIAL SURFACE
with MICROBIO[®]



L'immagine è puramente indicativa.
La grafica di BUTTERFLY può presentare discontinuità di vena nel passaggio tra le lastre,
al pari del materiale naturale.
Eventuali differenze fino a 1,5 cm sono dunque da considerarsi caratteristica del prodotto.

The picture is purely illustrative.
The graphic design of BUTTERFLY may result in discontinuities in the veining between
panels, as with the natural material.
Discontinuities of up to 1.5 cm are not defects, but are characteristic of the product.

WALL
Chain Calacatta Oro 120x260 lev

FLOOR
Calacatta Oro 120x120 lev



Decoro / Decor

Calacatta Oro Lev A

Calacatta Oro Lev B

Chain

Calacatta Oro Lev C

Calacatta Oro Lev D



A	B	C	D
---	---	---	---

Delight.

Formati / Sizes ^{LRT}



120x260cm
48"x102"

Finiture / Finishes

Lev



residenziale
residential



commerciale leggero
light commercial

Materiale/material:
Gres porcellanato laminato
Laminated porcelain stoneware
Spessore/thickness: 6mm

PR () T E C T
SUPERFICIE ANTIBATTERICA
ANTIMICROBIAL SURFACE
with MICROBIO®

SLIMTECH

L'immagine è puramente indicativa.
La grafica di CHAIN può presentare discontinuità di vena nel passaggio tra le lastre,
al pari del materiale naturale.
Eventuali differenze fino a 1,5 cm sono dunque da considerarsi caratteristica del prodotto.

The picture is purely illustrative.
The graphic design of CHAIN may result in discontinuities in the veining between panels,
as with the natural material.
Discontinuities of up to 1.5 cm are not defects, but are characteristic of the product.

Timeless Marble.

and **Filigrane** design Philippe Nigro



FLOOR
Pietra Gray 100x300 lev

WALL
Pietra Gray 100x300 sat

WALL
Onice Venus 100x300 lev

FLOOR
Onice Venus 100x100 sat

Lea Ceramiche

Onice Venus



Facce disponibili / Available faces

Timeless Marble.

Formati / Sizes ^{LT}



50x150cm
19 1/2" x 59"



100x100cm
39" x 39"



100x300cm
39" x 118"

Finiture / Finishes

Lev



residenziale
residential



commerciale leggero
light commercial

Sat



residenziale
residential



commerciale leggero
light commercial

Materiale/material:
Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 5,5mm

PROTECT
SUPERFICIE ANTIBATTERICA
ANTIMICROBIAL SURFACE
with MICROBIO[®]

SLIMTECH
split




FLOOR
Lasa Bright 100x100 lev

WALL
Lasa Bright 100x300 lev

Lea Ceramiche

Lasa Bright



Facce disponibili / Available faces

Timeless Marble.

Formati / Sizes ^{LT}



50x150cm
19 1/2" x 59"



100x100cm
39" x 39"



100x300cm
39" x 118"

Finiture / Finishes

Lev



residenziale
residential



commerciale leggero
light commercial

Sat



residenziale
residential



commerciale leggero
light commercial

Materiale/material:
Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 5,5mm

PR()TECT
SUPERFICIE ANTIBATTERICA
ANTIMICROBIAL SURFACE
with MICROBIOPT

SLIMTECH
split



Safari Amande



Facce disponibili / Available faces

Timeless Marble.

Formati / Sizes ^{LT}

		
50x150cm 19 1/2" x 59"	100x100cm 39" x 39"	100x300cm 39" x 118"

Finiture / Finishes

Lev	 residenziale residential	 commerciale leggero light commercial
Sat	 residenziale residential	 commerciale leggero light commercial

Materiale/material:
Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 5,5mm

P R () T E C T
SUPERFICIE ANTIBATTERICA
ANTIMICROBIAL SURFACE
with MICROBIOPT


 SLIMTECH



Pietra Gray 100x300 sat

Lea Ceramiche

Pietra Gray



Facce disponibili / Available faces

Timeless Marble.

Formati / Sizes ^{LT}



50x150cm
19 1/2" x 59"



100x100cm
39" x 39"



100x300cm
39" x 118"

Finiture / Finishes

Lev



residenziale
residential



commerciale leggero
light commercial

Sat



residenziale
residential



commerciale leggero
light commercial

Materiale/material:

Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 5,5mm

PR()TECT
SUPERFICIE ANTIBATTERICA
ANTIMICROBIAL SURFACE
with MICROBANT[®]

SLIMTECH
split



Timeless Marble.

Formati / Sizes ^{LT}



50x150cm
19 1/2" x 59"



100x100cm
39" x 39"



100x300cm
39" x 118"

Finiture / Finishes

Lev



residenziale
residential



commerciale leggero
light commercial

Sat



residenziale
residential



commerciale leggero
light commercial

Materiale/material:
Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 5,5mm

PR()TECT
SUPERFICIE ANTIBATTERICA
ANTIMICROBIAL SURFACE
with MICROBIOPT

SLIMTECH
split



Facce disponibili / Available faces

Timeless Marble.

Formati / Sizes cm^2



50x150cm
19 1/2" x 59"



100x100cm
39" x 39"



100x300cm
39" x 118"

Finiture / Finishes

Lev



residenziale
residential



commerciale leggero
light commercial

Sat



residenziale
residential



commerciale leggero
light commercial

Materiale/material:
Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 5,5mm

PR()TECT
SUPERFICIE ANTIBATTERICA
ANTIMICROBIAL SURFACE
with MICROBIOPT

SLIMTECH
split



Calacatta Butterfly 100x300 lev

Lea Ceramiche


Decoro / Decor

Butterfly

Calacatta Gold Extra B

Calacatta Gold Extra A

B	A
---	---



Timeless Marble.

Formati / Sizes ^{LT}



100x300cm
39"x118"

Finiture / Finishes

Lev



residenziale
residential



commerciale leggero
light commercial

Sat



residenziale
residential



commerciale leggero
light commercial

Materiale/material:
Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 5,5mm

P R () T E C T
SUPERFICIE ANTIBATTERICA
ANTIMICROBIAL SURFACE
with MICROBIOPT

SLIMTECH
slim

L'immagine è puramente indicativa.
La grafica di BUTTERFLY può presentare discontinuità di vena nel passaggio tra le lastre,
al pari del materiale naturale.
Eventuali differenze fino a 1,5 cm sono dunque da considerarsi caratteristica del prodotto.

The picture is purely illustrative.
The graphic design of BUTTERFLY may result in discontinuities in the veining between
panels, as with the natural material.
Discontinuities of up to 1.5 cm are not defects, but are characteristic of the product.

Filigrane design Philippe Nigro



Decoro / Decor

Onice Venus



Calacatta Gold Extra



Pietra Gray



Statuario White



Pearl

Lasa Bright



Filigrane
design Philippe Nigro

Formati / Sizes ^{RT}



100x300cm
39"x118"

Finiture / Finishes

Sat



residenziale
residential



commerciale leggero
light commercial

Materiale/material:
Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 5,5mm

PR()TECT
SUPERFICIE ANTIBATTERICA
ANTIMICROBIAL SURFACE
with MICROBIOPT

SLIMTECH
split

Decoro / Decor

Onice Venus



Lasa Bright



Statuario White



Calacatta Gold Extra



Hyphen

Pietra Gray



Filigrane design Philippe Nigro

Formati / Sizes ^{RT}



100x300cm
39"x118"

Finiture / Finishes

Sat



residenziale
residential



commerciale leggero
light commercial

Materiale/material:
Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 5,5mm

PR()TECT
SUPERFICIE ANTIBATTERICA
ANTIMICROBIAL SURFACE
with MICROBIO[®]

SLIMTECH
split

Waterfall.

WALL
Ivory Flow 100x300
Dark Flow 100x300


FLOOR
Gray Flow 100x100





Silver Flow 100x300

Silver Flow

Ivory Flow	Gray Flow	Dark Flow
		



Waterfall.

Formati / Sizes ^{LT}

		
50x100cm 19 1/2" x 39"	100x100cm 39" x 39"	100x300cm 39" x 118"

Finiture / Finishes

Nat			
	residenziale residential	commerciale leggero light commercial	commerciale intensivo intensive commercial

Materiale/material:
Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 5,5mm

Basaltina Stone Project.

WALL
Stuccata 100x300
Mosaico Striscia Stuccata 25x50
Mosaico Listello Stuccata 25x50
Naturale 50x100

FLOOR
Stuccata 100x100
Naturale 100x100

WALL
Lappata 50x100
Lappata 4,9x100

FLOOR
Naturale 100x300

Naturale

Sabbiata

Stuccata

Lappata

Basaltina Stone Project.

Formati / Sizes ^{RT}

50x100cm
19 1/2" x 39"

100x100cm
39" x 39"

100x300cm
39" x 118"

4,9x100cm
2" x 39"

Finiture / Finishes

Nat

residenziale
residential

commerciale leggero
light commercial

Materiale/material:

Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 3,5mm

SLIMTECH

66 — 67










Slimtech



WALL
Stuccata Mosaico Striscia 25x50

FLOOR
Stuccata 100x100
Naturale 100x100

Mosaici / Mosaics

MOSAICO QUADRO sabbia 25x25cm / 10"x10" 	MOSAICO MATTONE sabbia 25x25cm / 10"x10" 	MOSAICO STRISCIA sabbia 25x50cm / 10"x19½" 	MOSAICO LISTELLO sabbia 25x50cm / 10"x19½" 	MOSAICO INOX sabbia 25x25cm / 10"x10" 	MOSAICO SATIN sabbia 25x25cm / 10"x10" 
MOSAICO QUADRO naturale 25x25cm / 10"x10" 	MOSAICO MATTONE naturale 25x25cm / 10"x10" 	MOSAICO STRISCIA naturale 25x50cm / 10"x19½" 	MOSAICO LISTELLO naturale 25x50cm / 10"x19½" 	MOSAICO INOX naturale 25x25cm / 10"x10" 	MOSAICO SATIN naturale 25x25cm / 10"x10" 
MOSAICO QUADRO stuccata 25x25cm / 10"x10" 	MOSAICO MATTONE stuccata 25x25cm / 10"x10" 	MOSAICO STRISCIA stuccata 25x50cm / 10"x19½" 	MOSAICO LISTELLO stuccata 25x50cm / 10"x19½" 	MOSAICO INOX stuccata 25x25cm / 10"x10" 	MOSAICO PEARL stuccata 25x25cm / 10"x10" 
MOSAICO QUADRO lappata 25x25cm / 10"x10" 	MOSAICO MATTONE lappata 25x25cm / 10"x10" 	MOSAICO STRISCIA lappata 25x50cm / 10"x19½" 	MOSAICO LISTELLO lappata 25x50cm / 10"x19½" 	MOSAICO INOX lappata 25x25cm / 10"x10" 	MOSAICO PEARL lappata 25x25cm / 10"x10" 
MOSAICO METAL chiaro (naturale) 50x100cm / 19½"x39" 	MOSAICO GLITTER chiaro (sabbia) 50x100cm / 19½"x39" 	MOSAICO METAL scuro (lappata) 50x100cm / 19½"x39" 	MOSAICO GLITTER scuro (stuccata) 50x100cm / 19½"x39" 		

Concreto.

design Fabio Novembre

RECEPTION DESK
Concreto Rust

WALL
Foam Medium 120x260
Dry Dark 120x260

FLOOR
Concreto Medium 120x260



WALL
Reef Dark 120x260
Concrete Light 60x120

FLOOR
Concrete Dark 120x120

Lea Ceramiche

Concreto Dark

Concreto Light



Concreto Medium



Concreto Extra Light



Concreto Rust



Concreto. design Fabio Novembre

Formati / Sizes ^{RT}



60x120cm
24"x48"



120x120cm
48"x48"



120x260cm
48"x102"

Finiture / Finishes

Nat



residenziale
residential



commerciale leggero
light commercial



commerciale intensivo
intensive commercial

Materiale/material:
Gres porcellanato laminato
Laminated porcelain stoneware
Spessore/thickness: 6mm

PR()TECT
SUPERFICIE ANTIBATTERICA
ANTIMICROBIAL SURFACE
with MICROBIO®

SLIMTECH

Varianti / Variations

Dry Concreto Dark



Reef Concreto Dark



Foam Concreto Medium



Tide Concreto Medium



Concreto.
design Fabio Novembre

Formati / Sizes ^{RT}



120x120cm
48"x48"



120x260cm
48"x102"

Finiture / Finishes

Nat



residenziale
residential



commerciale leggero
light commercial



commerciale intensivo
intensive commercial

Materiale/material:
Gres porcellanato laminato
Laminated porcelain stoneware
Spessore/thickness: 6mm

PROTECT
SUPERFICIE ANTIBATTERICA
ANTIMICROBIAL SURFACE
with MICROBAN®

SLIMTECH

Decori / Decors

Concreto Dark



Concreto Rust



Concreto Light



Concreto Extra Light



Drops Gold*

Concreto Medium



Concreto. design Fabio Novembre

Formati / Sizes ^{RT}



60x120cm
24"x48"



120x120cm
48"x48"



120x260cm
48"x102"

Materiale/material:
Gres porcellanato laminato
Laminated porcelain stoneware
Spessore/thickness: 6mm

PR()TECT
SUPERFICIE ANTIBATTERICA
ANTIMICROBIAL SURFACE
with MICROBAN®

SLIMTECH

*Consigliato a pavimento per ambienti residenziali
Recommended for flooring in residential spaces

Take Care.

and Pad design Patrick Norguet



WALL
Pad Oakland Ground 100x300

FLOOR
T_Ground 100x100

Lea Ceramiche

78 — 79

Slimtech



WALL
T_Night 100x300
T_Snow 100x300

FLOOR
T_Steel 100x300

Lea Ceramiche

TAKE

T_Moon




T_Snow



T_Steel



T_Ground



T_Night



Take Care.

Formati / Sizes L^{T}



100x100cm
39"x39"
TAKE



100x150cm
39"x58"
CARE



100x300cm
39"x118"
TAKE CARE

Finiture / Finishes

Take



residenziale
residential



commerciale leggero
light commercial



commerciale intensivo
intensive commercial

Care



residenziale
residential



commerciale leggero
light commercial



commerciale intensivo
intensive commercial

Materiale/material:

Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 5,5mm

P R () T E C T
SUPERFICIE ANTIBATTERICA
ANTIMICROBIAL SURFACE
with MICROBIO[®]

 SLIMTECH




WALL
C_Night 100x300
C_Ground 100x150

FLOOR
C_Night 100x150

Lea Ceramiche

CARE

C_Moon




C_Snow



C_Steel



C_Ground



C_Night



Take Care.

Formati / Sizes ^{LT}



100x100cm
39"x39"
TAKE



100x150cm
39"x58"
CARE



100x300cm
39"x118"
TAKE CARE

Finiture / Finishes

Take



residenziale
residential



commerciale leggero
light commercial



commerciale intensivo
intensive commercial

Care



residenziale
residential



commerciale leggero
light commercial



commerciale intensivo
intensive commercial

Materiale/material:

Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 5,5mm

PR()TECT
SUPERFICIE ANTIBATTERICA
ANTIMICROBIAL SURFACE
with MICROBEN[®]

SLIMTECH

Pad design Patrick Norguet





WALL
C_Steel 100x300
Pad Oakland Snow 100x300

FLOOR
T_Steel 100x100

Lea Ceramiche



Decoro / Decor

Oakland Moon



Oakland Steel



Oakland Ground



Oakland Night



Oakland*

Oakland Snow



Pad
design Patrick Norguet

Formati / Sizes ^{RT}



100x300cm
39"x118"

Materiale/material:
Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 5,5mm



*Utilizzabile solo a RIVESTIMENTO
Suitable only for WALL COVERINGS




Decoro / Decor

Tamis Snow A - B - C



Tamis Steel A - B - C



A	B	C

Pad
design Patrick Norguet

Formati / Sizes ^{RT}




100x300cm
39"x118"

Materiale/material:
Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 5,5mm




Tamis*

Tamis Moon A - B - C



Tamis Ground A - B - C




Tamis Night A - B - C



*Utilizzabile solo a RIVESTIMENTO
Suitable only for WALL COVERINGS

Absolute.






WALL
Total White 100x300

FLOOR
Total White 100x100

Lea Ceramiche

Total White

Total Black



Absolute.

Formati / Sizes ^{RT}



100x100cm
39"x39"



100x300cm
39"x118"

Finiture / Finishes

Lev



residenziale
residential



commerciale leggero
(solo Total White)
light commercial
(only Total White)

Sat



residenziale
residential



commerciale leggero
light commercial

Materiale/material:

Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 5,5mm

PR()TECT
SUPERFICIE ANTIBATTERICA
ANTIMICROBIAL SURFACE
with MICROBIOPT

SLIMTECH

Re-evolution.



WALL
Src020 100x300

FLOOR
Src010 100x300




WALL
Src030 100x300

FLOOR
Src010 100x100

Lea Ceramiche

Src010


Srw010



Srw020




Srw030



Src020



Src030



Re-evolution.

Formati / Sizes ^{LT}



50x100cm
19 1/2" x 39"



100x100cm
39" x 39"



100x300cm
39" x 118"

4,9x100cm
2" x 39"

Finiture / Finishes

Nat



residenziale
residential



commerciale leggero
light commercial

Materiale/material:

Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 3,5mm

 SLIMTECH

Gouache.10.

and Libeccio design Diego Grandi



Deep Sea 100x100




WALL
Crystal Water 100x300

FLOOR
Crystal Water 100x100

Lea Ceramiche

Crystal Water

Deep Sea



Cool Rain




White Cloud



Soft Sand



Light Rock



Black Stone



Gouache.10.

Formati / Sizes ^{RT}



50x100cm
19 1/2" x 39"



100x100cm
39" x 39"



100x300cm
39" x 118"

4,9x100cm
2" x 39"

Finiture / Finishes

Nat



residenziale
residential




commerciale leggero
light commercial

Materiale/material:
Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 3,5mm

 SLIMTECH



Libeccio 01 cold 15,4x22,3



Libeccio
white cloud
15,4x22,3cm
6 1/8" x 8 3/4"



Libeccio
crystal water
15,4x22,3cm
6 1/8" x 8 3/4"



Libeccio 01
warm
15,4x22,3cm
6 1/8" x 8 3/4"



Libeccio
soft sand
15,4x22,3cm
6 1/8" x 8 3/4"



Libeccio
cool rain
15,4x22,3cm
6 1/8" x 8 3/4"



Libeccio 01
cold
15,4x22,3cm
6 1/8" x 8 3/4"



Libeccio
light rock
15,4x22,3cm
6 1/8" x 8 3/4"



Libeccio
deep sea
15,4x22,3cm
6 1/8" x 8 3/4"



Libeccio 02
15,4x22,3cm
6 1/8" x 8 3/4"



Libeccio
black stone
15,4x22,3cm
6 1/8" x 8 3/4"



Libeccio 03
15,4x22,3cm
6 1/8" x 8 3/4"



Wood-Stock.



Snow Wood 20x200



WALL
Type-32 Coffee W 25

FLOOR
Coffee Wood 20x200

Lea Ceramiche

Coffee Wood

Snow Wood



Vintage Wood



Cream Wood



Honey Wood



Wood-Stock.

Formati / Sizes ^{LT}



20x100cm
8"x39"



20x150cm
8"x59"



20x200cm
8"x79"



33x300cm
13"x118"

Finiture / Finishes

Nat



residenziale
residential



commerciale leggero
light commercial



commerciale intensivo
intensive commercial

Materiale/material:

Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 5,5mm

PR()TECT
SUPERFICIE ANTIBATTERICA
ANTIMICROBIAL SURFACE
with MICROBIO[®]

SLIMTECH
2plus

Type 32.

design Diego Grandi

HONEY
Beta Warm 11 - Delta Cold 30 20x200
Alfa Warm 03 - Gamma Cold 20x200



SNOW
Delta Warm 28 - Delta Cold 29 20x200

Lea Ceramiche



Type 32. design Diego Grandi

Formati / Sizes ^{LT²}

20x200cm
8"x79"

Finiture / Finishes

Nat



residenziale
residential

Materiale/material:
Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 5,5mm



Snow				
	ALFA 05	BETA 13	GAMMA 21	DELTA 29
COLD				
	04	12	20	28
WARM				
Honey				
	ALFA 06	BETA 14	GAMMA 22	DELTA 30
COLD				
	03	11	19	27
WARM				
Vintage				
	ALFA 07	BETA 15	GAMMA 23	DELTA 31
COLD				
	02	10	18	26
WARM				
Coffee				
	ALFA 08	BETA 16	GAMMA 24	DELTA 32
COLD				
	01	09	17	25
WARM				

Informazioni tecniche per l'utilizzo pag. 143 / Technical information for use.
Informations techniques pour l'utilisation. / Technische Zusammenarbeit.

Naive.

design Patrick Norguet

Naive Grey 100x300

Lea Ceramiche

112 — 113

Slimtech



Naive Blue 100x300

Lea Ceramiche

Naive Blue


Naive Terra



Naive Grey



Naive Black



Naive. design Patrick Norguet

Formati / Sizes ^{RT}



100x100cm
39"x39"



100x300cm
39"x118"

Finiture / Finishes

Nat



residenziale
residential



commerciale leggero
light commercial

Materiale/material:
Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 5,5mm

 SLIMTECH

Lines and Waves.

design Patrick Norguet

Line Grey 100x300

Lea Ceramiche

116 — 117

Slimtech



Line Blue 100x300


Lea Ceramiche

Lines

Line Grey



Line Blue



Lines.
design Patrick Norguet

Formati / Sizes ^{LT¹}



100x300cm
39"x118"

Finiture / Finishes

Nat



residenziale
residential



commerciale leggero
light commercial

Materiale/material:
Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 3,5mm

 **SLIMTECH**



Wave Blue 100x300

Lea Ceramiche

Waves

Wave Blue A



Wave Blue B



Wave Grey A



Wave Grey B



Wave Blue A



Waves. design Patrick Norguet

Formati / Sizes ^{RT}



100x300cm
39"x118"

Finiture / Finishes

Nat



residenziale
residential



commerciale leggero
light commercial

Materiale/material:
Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 3,5mm

 SLIMTECH

Nest.

design Hok Product Design



Triangolo 50

Ettagono 50




Triangolo 25

Ettagono 25

Lea Ceramiche

Nest design HOK Product Design




***Esagono**
L 50cm / 19½"
100x86,6cm / 39"x34¼"



***Esagono**
L 25cm / 10"
50x43,2cm / 19½"x17"



***Esagono**
L 6,2cm / 2½"
12,5x10,8cm / 5"x4¼"



***Ettagono**
L 50cm / 19½"
100x86,6cm / 39"x34¼"

***Triangolo**
L 50cm / 19½"



***Ettagono**
L 25cm / 10"
50x43,2cm / 19½"x17"

***Triangolo**
L 25cm / 10"



***Ettagono**
L 6,2cm / 2½"
12,5x10,8cm / 5"x4¼"














***Triangolo**
L 6,2cm / 2½"

Materiale/material:
Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 3,5mm / 5,5mm



REALIZZABILE CON LE SERIE:
Can be made with the following collections:

ABSOLUTE / BASALTINA STONE PROJECT / GOUACHE.10 / RE-EVOLUTION /
TAKE CARE / TIMELESS MARBLE / WATERFALL



Mauk.

design Diego Grandi

Lappata Cuadra

Naturale Cuadra

Sabbiata Cuadra

Lea Ceramiche

126 — 127

Slimtech




WALL
Lappata Spina


FLOOR
Sabbia Cuadra
Naturale Cuadra
Lappata Cuadra

Lea Ceramiche

Mauk design Diego Grandi




Cuadra
57,6cm / 225/8"
Sabbia - Naturale - Lappata



Esa
38,3cm / 151/8"
Naturale - Lappata



Spina
base maggiore 25,8cm/101/8"
base minore 13,5cm/53/8"
lati 8,7cm/33/8"
Sabbia - Lappata



Materiale/material:
Gres porcellanato laminato rinforzato con fibra di vetro
Laminated porcelain stoneware reinforced with fibreglass
Spessore/thickness: 3,5mm



Lealab.



Con Lealab il gres laminato Slimtech diventa materiale mutante in grado di rispondere ad esigenze progettuali inaspettate e sorprendenti.

La competenza tecnica di Lea Ceramiche e la sua naturale attitudine a produrre prodotti di qualità, costituiscono assoluta garanzia per supportare, in ogni sua fase, qualsiasi progetto in architettura, come nel residenziale.

Lealab rappresenta l'avanguardia nella personalizzazione del prodotto ceramico. Per ogni informazione: www.leaceramiche.com.

With Lealab, Slimtech laminated porcelain stoneware becomes a material that transforms to suit the needs of the most unexpected and surprising project requirements.

Lea Ceramiche's technical skills and its natural penchant for producing high quality products are an absolute guarantee of its ability to support, at every stage, any architectural or residential project.

Lealab is at the forefront in the personalization of ceramic products. For more informations please visit www.leaceramiche.com.

LEALAB



P R () T E C T

L'esclusiva tecnologia Panariagroup per pavimenti e rivestimenti antibatterici ad altissime performance. Per un abitare sano, sicuro e protetto.

The exclusive Panariagroup technology for antimicrobial floor and wall coverings with the highest performance. To live healthily, safe and secure.



Azione potente.
Elimina i batteri e ne impedisce la proliferazione
Powerful action.
Eliminates microbes and prevents their reproduction



Efficacia eterna.
Grazie alla tecnologia integrata in modo permanente nel prodotto
Eternal effectiveness.
Thanks to the technology permanently integrated into the product




Protezione continua.
Sempre attivo, 24 ore su 24, con e senza luce solare
Continuous protection.
Always active, 24 hours a day, with and without sunlight






Qualità garantita
dalla partnership
CON MICROBAN®
Guaranteed quality
by the partnership
with MICROBAN®

PANARIAgroup®
www.protect.panariagroup.it

Destinazioni d'uso / Intended uses

Posa a pavimento / Floor installation				
IN INTERNO / INTERIORS		IN ESTERNO / EXTERIORS		
				
Situazioni applicative sia per interventi di nuova costruzione che di ristrutturazioni con posa in sovrapposizione a pavimenti preesistenti. For new buildings and refurbishing, for installation on pre-existing floors.	RESIDENZIALE Cucine, bagni, living e ogni altro ambiente di uso residenziale. RESIDENTIAL Kitchens, bathrooms, living rooms and other residential environments. <i>slimtech 3plus</i> <i>slimtech 5plus</i> <i>slimtech 6mm</i>	COMMERCIALE LEGGERO Uffici, uffici aperti al pubblico, sale d'attesa, negozi, bagni pubblici, aree comuni condominiali, sale di ristoranti, autosaloni, bar, cinema, ambulatori/cliniche, camere e bagni di hotel. In aree caratterizzate da passaggi obbligati non è consigliato l'utilizzo di prodotti con finitura LEV/TOUCH. LIGHT COMMERCIAL Offices, offices open to the general public, waiting rooms, shops, public bathrooms, common apartment block areas, restaurant dining rooms, car showrooms, bars, cinemas, surgeries/clinics, hotel rooms and bathrooms. In areas subjected to forced traffic, it is not advisable to use products with the LEVTOUCH/ finishes. <i>slimtech 3plus</i> <i>slimtech 5plus</i> <i>slimtech 6mm</i>	COMMERCIALE INTENSIVO Aree comuni di centri commerciali, hall di hotel, mense, fast food, discoteche, ospedali, scuole, musei, luoghi di culto, aeroporti, stazioni ad esclusione di zone sottoposte al passaggio di carichi pesanti concentrati (ad es. carrelli a ruote dure). INTENSIVE COMMERCIAL Common areas of shopping centres, hotel foyers, canteens, fast food restaurants, dance clubs, hospitals, schools, museums, places of worship, airports, stations with the exception of areas subject to heavy concentrated loads (e.g. trolleys with hard wheels). <i>slimtech 5plus</i> <i>slimtech 6mm</i>	ESTERNI A condizione che le superfici siano coperte (es. logge, balconi coperti, ecc.) e perfettamente impermeabilizzate. Si consiglia l'utilizzo di formati con lati non superiori a 120cm. OUTDOOR Upon condition that surfaces are sheltered (e.g. loggias, covered balconies, etc.) and made totally impervious. We recommend the use of sizes that have sides not exceeding 120cm. <i>slimtech 3plus</i> <i>slimtech 5plus</i> <i>slimtech 6mm</i>

Posa a parete / Wall installation		
IN INTERNO / INTERIORS		IN ESTERNO / EXTERIORS
		
Situazioni applicative sia per interventi di nuova costruzione che di ristrutturazioni con posa in sovrapposizione a pavimenti preesistenti. For new buildings and refurbishing, for installation on pre-existing floors.	Qualunque ambiente residenziale e commerciale. Any residential and commercial environment. <i>slimtech 3plus</i> <i>slimtech 5plus</i> <i>slimtech 6mm</i>	Qualunque ambiente residenziale e commerciale. Any residential and commercial environment. <i>slimtech 3plus</i> <i>slimtech 5plus</i> <i>slimtech 6mm</i>

La finitura LEV/TOUCH è consigliata, oltre che per rivestimenti, anche per pavimenti in ambienti residenziali o commerciale leggero non sottoposti ad elevate sollecitazioni, ove non siano richieste prestazioni antiscivolo. La presenza sporadica di piccole disuniformità o di puntini sulla superficie è da ritenersi come caratteristica del materiale e della particolare lavorazione. Qualora il prodotto sia posto a diretto contatto con l'esterno, si consiglia di utilizzare soluzioni protettive al fine di prevenire la formazione di graffi.

The LEV/TOUCH finishes are recommended, as well as for wall cladding, also for flooring in residential or light commercial areas that are not subjected to heavy traffic, where anti-slip characteristics are not required. The occasional presence of small inconsistencies or little spots on the surface is to be considered a characteristic of the material and of its unique production process. If the product is laid in direct contact with external environments, it is recommended to use protective solutions to reduce the formation of scratches.

Destinazioni speciali / Special uses

	Facciate ventilate* Ventilated facades <i>slimtech 3plus</i> <i>slimtech 5plus</i> <i>slimtech 6mm</i>		Rivestimenti termici a cappotto External wall thermal insulation system <i>slimtech 3plus</i> <i>slimtech 5plus</i> <i>slimtech 6mm</i>
	Rivestimenti vasche piscine Bathtubs and swimming pool cladding <i>slimtech 3plus</i> <i>slimtech 5plus</i> <i>slimtech 6mm</i>		Superfici da rivestire nel settore dell'arredamento For furniture surfaces <i>slimtech 3plus</i> <i>slimtech 5plus</i> <i>slimtech 6mm</i>

Destinazioni speciali/Special uses: in funzione delle specifiche del progetto, in abbinamento a sistemi costruttivi indicati da Panariagroup e approvati dalla Direzione Lavori/depending on project specifications and in combination with the construction systems recommended by Panariagroup and approved by the Installation Supervisor.

*Solo dopo l'applicazione della rete in fibra di vetro/only after the application of fiberglass mesh

Caratteristiche tecniche / Technical characteristics

Gres porcellanato laminato UGL /Laminated porcelain stoneware UGL		Conforme/according to: ISO 13006-G (Gruppo/Group Bla UGL), EN 14411-G (Gruppo/Group Bla UGL), ANSI A137.3 (Unglazed back layered gauged porcelain slabs)		
		Metodo di prova /Test method	Requisiti prescritti /Required values	Valori medi /Average values
	Assorbimento d'acqua /Water absorption	ISO 10545-3 ASTM C373	≤ 0,5%	0,1%*
	Resistenza a flessione /Modulus of rupture	ISO 10545-4 ASTM C1505	≥ 35 N/mm ² ≥ 6000 PSI	50 N/mm ² ≥ 6000 PSI
	Resistenza all'abrasione profonda /Resistance to deep abrasion	ISO 10545-6 ASTM C1243	≤ 175 mm ³	Conforme/Compliant
	Dilatazione termica lineare /Linear thermal expansion	ISO 10545-8 ASTM C372	Requisito non previsto/No provision	α ≤ 7x10 ⁻⁶ °C ⁻¹ α ≤ 4.4x10 ⁻⁶ °F ⁻¹ / α ≤ 8x10 ⁻⁶ °C ⁻¹
	Resistenza alle macchie /Stain resistance	ISO 10545-14 ASTM C1378	Classe/Class 3 Min. Come indicato dal produttore /As indicated by manufacturer	5 Resistente / Resistant ≥ 3 (Lev / Touch) Class A Resistente/Resistant Class C (Lev / Touch)
	Resistenza all'attacco chimico** /Chemical resistance**	ISO 10545-13 ASTM C650	Come indicato dal produttore /As indicated by manufacturer	LA-HA Resistente/Resistant LB-HB (Lev / Touch) Class A Resistant Class C (Lev / Touch)
	Resistenza al gelo /Frost resistance	ISO 10545-12 ASTM C1026	Nessuna alterazione/No alteration Come indicato dal produttore /As indicated by manufacturer	Resistente/Resistant Resistant
		DIN 51130	—	R9 Basaltina Stone Project - Gouache.10 Take Care - Delight (Nat) R10 Waterfall - Wood-sStock - Concreto
	Resistenza allo scivolamento /Slip resistance	BCR-TORTUS	—	μ >0,40 Basaltina Stone Project - Gouache.10 Take Care - Delight (Nat) - Waterfall Wood-Stock - Concreto
		ANSI A326.3	—	DCOF ≥ 0.42 Basaltina Stone Project - Gouache.10 Take Care - Delight (Nat) - Waterfall Wood-Stock - Timeless Marble (Sat) Absolute (Sat) - Concreto
	Reazione al fuoco /Fire reaction	EN 13823 EN 9239-1	CPR (UE) 305/2011, 2000/147/CE, UNI EN 13501-1	Classe/Class A2-s1,d0 (wall) 3plus- 5plus Classe/Class A1 (wall) 6mm Classe/Class A2-s1 (floor) 3plus - 5plus Classe/Class A1-s1 (floor) 6mm
	Flame spread	ASTM E84	—	Classe/Class A
	Conducibilità termica /Thermal conductivity	EN 12524	—	λ = 1,3 W/m° K / 0.7 BTU/ft h° F
	Stonalizzazione /Shade variation	ANSI A137.3	Come indicato dal produttore /As indicated by manufacturer	V1 Absolute - Lines and Waves - Naive V2 Gouache,10 - Re-evolution - Wood-stock V3 Basaltina Stone project - Mauk - Type 32 Waterfall - Timeless Marble - Take Care Concreto

V1	Aspetto uniforme /Uniform appearance	V2	Varizioni minime /Slight variation	V3	Variazioni moderate /Moderate variation	V4	Variazioni sostanziali /Substantial variation
----	---	----	---------------------------------------	----	--	----	--

Fuga minima consigliata: vedi Manuale Tecnico Slimtech/minimum suggested joint: refer to Slimtech Technical Manual.
* Valore medio riferito al solo materiale ceramico/Average value referred to ceramic material only (3plus - 5plus)
**Ad esclusione dell'acido fluoridrico e derivati/excluding hydrofluoric acid and its derivatives

Delight

Articolo	Scatola					Pallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
Fondo	120x260	48"x102"	1	3,12	44,0	20	62,4	880,0
Fondo	120x120	48"x48"	2	2,88	40,6	25	72,0	1015,0
Fondo	60x120	24"x48"	3	2,16	30,3	32	69,1	968,0
Butterfly - Chain	120x260	48"x102"	1	3,12	44,0	20	62,4	880,0

Timeless Marble

Articolo	Scatola					Pallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
Fondo 5plus	100x300	39"x118"	1	3,00	34,5	13	39,0	448,5
Fondo 5plus	100x100	39"x39"	2	2,00	23,0	25	50,0	575,0
Fondo 5plus	50x150	19½"x59"	2	1,50	17,5	32	48,0	560,0
Decoro Filigrane	100x300	39"x118"	1	3,00	34,5	13	39,0	448,5

Waterfall

Articolo	Scatola					Pallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
Fondo 5plus	100x300	39"x118"	1	3,00	34,5	13	39,0	448,5
Fondo 5plus	100x100	39"x39"	2	2,00	23,0	25	50,0	575,0
Fondo 5plus	50x100	19½"x39"	3	1,50	17,3	32	48,0	552,0

Basaltina Stone Project

Articolo	Scatola					Pallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
Fondo 3plus	100x300	39"x118"	1	3,00	23,4	20	60,0	468,0
Fondo 3plus	100x100	39"x39"	3	3,00	24,1	25	75,0	602,5
Fondo 3plus	50x100	19½"x39"	5	2,50	20,0	32	80,0	640,0
Fondo 3plus	4,9x100	2"x39"	10	0,49	4,2	39	19,1	163,8
Mosaico Metal	50x100	19½"x39"	2	1,00	9,9	25	25,0	247,6
Mosaico Glitter	50x100	19½"x39"	2	1,00	8,8	25	25,0	220,8
Mosaico Striscia	25x50	10"x19½"	10	1,25	6,9	60	75,0	414,0
Mosaico Listello	25x50	10"x19½"	10	1,25	6,9	60	75,0	414,0
Mosaico Inox	25x25	10"x10"	10	0,63	4,6	60	37,5	276,0
Mosaico Satin	25x25	10"x10"	10	0,63	4,6	60	37,5	276,0
Mosaico Pearl	25x25	10"x10"	10	0,63	4,6	60	37,5	276,0
Mosaico Quadro	25x25	10"x10"	10	0,63	4,6	60	37,5	276,0
Mosaico Mattone	25x25	10"x10"	10	0,63	4,6	60	37,5	276,0

Concreto

Articolo	Scatola					Pallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
Fondo	120x260	48"x102"	1	3,12	44,0	20	62,4	880,0
Fondo	120x120	48"x48"	2	2,88	40,6	25	72,0	1015,0
Fondo	60x120	24"x48"	3	2,16	30,3	32	69,1	968,0
Decoro Drops Gold	120x260	48"x102"	1	3,12	44,0	20	62,4	880,0
Decoro Drops Gold	120x120	48"x48"	2	2,88	40,6	25	72,0	1015,0
Decoro Drops Gold	60x120	24"x48"	3	2,16	30,3	32	69,1	968,0

Take Care

Articolo	Scatola					Pallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
Fondo 5plus	100x300	118"x39"	1	3,00	34,5	13	39,0	448,5
Fondo 5plus	100x150	39"x59"	2	3,00	34,5	25	75,0	862,5
Fondo 5plus	100x100	39"x39"	2	2,00	23,0	25	50,0	575,0
Decoro Pad	100x300	118"x39"	1	3,00	34,5	13	39,0	448,5

Absolute

Articolo			Scatola			Pallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
Fondo 5plus	100x300	39"x118"	1	3,00	34,5	13	39,0	448,5
Fondo 5plus	100x100	39"x39"	2	2,00	23,0	25	50,0	575,0

Re-evolution

Articolo			Scatola			Pallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
Fondo 3plus	100x300	39"x118"	1	3,00	23,4	20	60,0	468,0
Fondo 3plus	100x100	39"x39"	3	3,00	24,1	25	75,0	602,5
Fondo 3plus	50x100	19½"x39"	5	2,50	20,0	32	80,0	640,0
Fondo 3plus	4,9x100	2"x39"	10	0,49	4,2	39	19,1	163,8

Gouache.10

Articolo			Scatola			Pallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
Fondo 3plus	100x300	39"x118"	1	3,00	23,4	20	60,0	468,0
Fondo 3plus	100x100	39"x39"	3	3,00	24,1	25	75,0	602,5
Fondo 3plus	50x100	19½"x39"	5	2,50	20,0	32	80,0	640,0
Fondo 3plus	4,9x100	2"x39"	10	0,49	4,2	39	19,1	163,8
Decoro Libeccio	15,4x22,3	6¼"x8¾"	10	0,27	2,8	80	21,9	224,0

Wood-stock

Articolo			Scatola			Pallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
Fondo 5plus	33x300	13"x118"	1	0,99	12,5	39	38,6	487,0
Fondo 5plus	20x200	8"x79"	3	1,20	15,0	40	48,0	600,0
Fondo 5plus	20x150	8"x59"	3	0,90	11,3	60	54,0	675,0
Fondo 5plus	20x100	8"x39"	3	0,60	7,5	60	36,0	450,0

Type 32

Articolo			Scatola			Pallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
Fondo 5plus	20x200	8"x79"	3	1,20	15,0	40	48,0	600,0

Naive

Articolo			Scatola			Pallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
Fondo 5plus	100x300	39"x118"	1	3,00	34,5	13	39,0	448,5
Fondo 5plus	100x100	39"x39"	2	2,00	23,0	25	50,0	575,0

Lines and Waves

Articolo			Scatola			Pallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
Fondo 3plus	100x300	39"x118"	1	3,00	23,4	20	60,0	468,0

Imballi / Packing

Nest									
Articolo		Scatola					Pallet		
		cm	inch	pz.	mq	kg	scat.	mq	kg
Esagono	L 50 (3,5mm)	100x86,6	39"x34½"	1	0,65	5,2	-	-	-
Esagono	L 25 (3,5mm)	50x43,2	19½"x17"	1	0,16	1,3	-	-	-
Esagono	L 6,2 (3,5mm)	12,5x10,8	5"x4¼"	1	0,01	0,1	-	-	-
Ett.+Tria.	L 50 (3,5mm)	100x86,6	39"x34½"	1	0,65	5,2	-	-	-
Ett.+Tria.	L 25 (3,5mm)	50x43,2	19½"x17"	1	0,16	1,3	-	-	-
Ett.+Tria.	L 6,2 (3,5mm)	12,5x10,8	5"x4¼"	1	0,01	0,1	-	-	-
Esagono	L 50 (5,5mm)	100x86,6	39"x34½"	1	0,65	8,3	-	-	-
Esagono	L 25 (5,5mm)	50x43,2	19½"x17"	1	0,16	2,1	-	-	-
Esagono	L 6,2 (5,5mm)	12,5x10,8	5"x4¼"	1	0,01	0,1	-	-	-
Ett.+Tria.	L 50 (5,5mm)	100x86,6	39"x34½"	1	0,65	8,3	-	-	-
Ett.+Tria.	L 25 (5,5mm)	50x43,2	19½"x17"	1	0,16	2,1	-	-	-
Ett.+Tria.	L 6,2 (5,5mm)	12,5x10,8	5"x4¼"	1	0,01	0,1	-	-	-

Mauk

Articolo		Scatola				Pallet			
		cm	inch	pz.	mq	kg	scat.	mq	kg
Cuadra 3plus		57,6	22⅝"	6	1,73	15,5	5	8,6	77,5
Esa 3plus		38,3	15⅙"	12	0,77	6,4	20	15,4	127,0
Spina 3plus		25,8x13,5x8,7	10⅙"x5⅜"x3⅜"	15	0,18	1,5	80	14,8	120,0

Caratteristiche prodotto: Lealab - Type 32 - Pad
Product characteristics: Lealab - Type 32 - Pad

inchiostri inks	base acqua water-based
protettivi protective layers	base acqua water-based
resistenza dei colori alla luce DIN 51094 resistance of colours to light DIN 51094	superficie inalterata surface unaltered
resistenza attacco chimico ISO 10545-13 chemical resistance ISO 10545-13	LA - HA resistente / resistant
resistenza alle macchie stain resistance	resistente al contatto con alimenti e bevande resistant to contact with food and drink
pulizie quotidiane daily cleaning	utilizzare solo detergenti neutri, non utilizzare spugne o paste abrasive use only neutral detergents, do not use abrasive sponges or paste
resistenza superficiale surface strength	per preservare l'unicità della superficie evitare il contatto con elementi graffianti to preserve the integrity of the surface avoid contact with abrasive materials
taglio cut	per garantire l'impermeabilità della superficie, in caso di necessità di tagliare la singola lastra stuccare il bordo tagliato utilizzando prodotti epossidici * in order to guarantee the impermeability of the surface, if it becomes necessary to cut the individual slab the cut edge must be plastered with an epoxy product
stucco grout	il prodotto si può stuccare sia con prodotti epossidici che con prodotti cementizi; * in caso di utilizzo con stucchi epossidici proteggere la superficie con nastro adesivo per mascheratura the product can be grouted using both epoxy and cement products; if epoxy grouts are used, protect the surface with masking tape

Spessori / Thicknesses

Basaltina Stone Project	3,5mm	Timeless Marble	5,5mm	Delight	6mm
Re-evolution	3,5mm	Waterfall	5,5mm	Concreto	6mm
Gouache.10	3,5mm	Take Care	5,5mm		
Lines and Waves	3,5mm	Absolute	5,5mm		
Mauk	3,5mm	Wood-Stock	5,5mm		
		Type 32	5,5mm		
		Naive	5,5mm		

Panariagroup. Nel tempo e nel mondo, l'eccellenza ceramica.

Throughout time
and around the world,
ceramic excellence.

Eccellere, nel mondo della ceramica di alta qualità, significa saper generare sempre prodotti a elevata componente tecnologica e impreziosirli con la massima attenzione estetica, con la cura di ogni dettaglio. Per soddisfare al meglio i gusti della fascia più elevata ed esigente del mercato, **Panariagroup** adotta da sempre la formula dell'eccellenza, unendo storica sapienza artigianale e attitudine all'avanguardia tecnologica. Con un impegno fondamentale ad agire e operare sempre con responsabilità.

Con oltre **40 anni** di esperienza, Panariagroup è oggi una realtà internazionale con un cuore fortemente italiano, presente con **9 brand** in oltre **130 paesi** nel mondo grazie a una vasta e capillare rete commerciale.

To excel in the world of high quality ceramics means knowing how to continuously create highly technological products and how to enhance them through the utmost attention to aesthetics and detail.

Panariagroup has always adhered to the highest standards of excellence, combining its history of skilful artisan craftsmanship with cutting edge technology. This approach is intrinsically linked to a fundamental commitment to always act and operate responsibly.

With over **40 years** of experience, Panariagroup is an international company with a strong Italian soul and an extensive sales network with **9 brands** in over **130 countries** all over the world.



LEA

COTTOD'ESTE
Nuove Superfici

FIORDO

Blustyle
by COTTOD'ESTE

MARGRES
CERAMIC TILES

LOVE
CERAMIC TILES

floridatile

Bellissimo
STYLE ITALIANO

PANARIAgroup®
www.panariagroup.it



Certificazioni / Certifications



UNI EN ISO 14001:2004

CERTIFIED ENVIRONMENTAL MANAGEMENT SYSTEM

ISO 14001



UNI EN ISO 9001:2008

CERTIFIED QUALITY MANAGEMENT SYSTEM

ISO 9001



EN 14411

Le DOP sono disponibili sul sito internet www.ceramichelea.it
DOP are available on the website www.ceramichelea.it



U.S. GREEN BUILDING COUNCIL MEMBER

Leed*



Stabilimento di Fiorano M. (MO)

Emas



Ceramics of Italy

*LEED Lea Ceramiche, è membro di GBC Italia, organizzazione che promuove sul territorio italiano la realizzazione di edifici nel rispetto dell'ambiente, della salute e del benessere delle persone che ci vivino e lavorano./Lea Ceramiche is a member of the U.S. Green Building Council: this is an organization that promotes buildings that are environmentally responsible, profitable and healthy places to live and work.

Colophon / Company info

LEA CERAMICHE
Via Cameazzo, 21
41042 Fiorano Modenese
Modena Italy

CREDITS
Panariagroup
Marketing &
Communications

T +39 0536 837811
E info@ceramichelea.it
www.ceramichelea.com

Panariagroup
Industrie Ceramiche S.p.A.

MILANO
Showroom Lea Ceramiche
Via Durini, 3
20122 Milano
T +39 02 76011406
E showroom_milano@ceramichelea.it

PARIGI
Lab Lea Ceramiche
Rue Therese, 20 -
Rue des Moulins, 1
1 ere Arrondissement
(Métro Pyramides)
75001 Paris
T +33 648116844

USA
Lea North America, LLC
800 Clanton Road, Suite N
Charlotte, NC 28217
T +1 704 522 6300
E info@leausa.us
www.leausa.us

